

Scientific publications 2007

Publications from 2007

- Andjic V., StJ. Hardy G. E., Cortinas M.N., Wingfield M. J. and Burgess T. I. (2007). Multiple gene genealogies reveal important relationships between species of *Phaeophleospora* infecting *Eucalyptus* leaves FEMS Microbiological Letters 268: 22–33.
- Andjic, V., Barber P.A., Carnegie A.J., Pegg G.S., StJ. Hardy G. E., Wingfield M. J. and Burgess T. I. (2007). *Kirramyces viscidus* sp nov., a new eucalypt pathogen from tropical Australia closely related to the serious leaf pathogen *Kirramyces destructans*. Australasian Plant Pathology 36: 478-487.
- Andjic, V., Barber P.A., Carnegie A.J., StJ. Hardy G. E., Wingfield M. J. and Burgess T. I. (2007). Phylogenetic reassessment supports accommodation of *Phaeophleospora* and *Colletogloeopsis* from eucalypts in *Kirramyces*. Mycological Research 10: 1184-1198.
- Arzanlou M, Abeln ECA, Kema GHJ, Waalwijk C, Carlier J, de Vries I, Guzmán M, Crous PW (2007). Molecular diagnostics for the Sigatoka disease complex of banana. Phytopathology 97: 1112–1118.
- Arzanlou M, Groenewald JZ, Gams W, Braun U, Shin H.-D., Crous PW (2007). Phylogenetic and morphotaxonomic revision of *Ramichloridium* and allied genera. Studies in Mycology 58: 57–93.
- Babcock C, Chen X, Crous PW, Dugan FM, Goates B, Green PN (2007). Plant germplasm centres and microbial culture collections: a user’s guide to key generic resources for plant pathology. Plant Disease 91: 476–484.
- Bester W., Crous PW, Fourie P.H. (2007). Evaluation of fungicides as potential grapevine pruning wound protectants against *Botryosphaeria* species. Australasian Plant Pathology 36: 73–77.
- Bogale M., Wingfield B.D., Wingfield M.J. and Steenkamp E.T. (2007). Species-specific primers for *Fusarium redolens* and a PCR-RFLP technique to distinguish among three clades of *Fusarium oxysporum*. FEMS Microbiology Letters 271: 27-32.
- Braun U, Crous PW (2007). The diversity of cercosporoid hyphomycetes – new species, combinations, names and morphological clarifications. Fungal Diversity 36: 55–72.
- Burgess T.I., V. Andjic, M. J. Wingfield and G. E. St. J. Hardy (2007). The eucalypt leaf blight pathogen *Kirramyces destructans* discovered in Australia. Australasian Plant Disease Notes 2: 141–144.
- Carnegie A.J., Burgess T.I., Beilharz V. and Wingfield M.J. (2007). New species of *Mycosphaerella* from Myrtaceae in plantations and native forests in eastern Australia. Mycologia 99: 461-474.
- Conde-Ferráez L, Waalwijk C, Canto-Canché BB, Kema GHJ, Crous PW, James AC, Abeln ECA (2007). Isolation and characterization of the mating type locus of *Mycosphaerella fijiensis*, the causal agent of black leaf streak disease of banana. Molecular Plant Pathology 8: 111–120.
- Cortinas M.N., Wingfield B.D. and Wingfield M.J. (2007). Microsatellite markers for the *Eucalyptus* stem canker fungal pathogen *Kirramyces gauchensis*. Molecular Ecology Notes 4: 547–550.
- Coutinho T.A., Steenkamp E.T., Mongwaketsi K., Wilmot M. and Wingfield M.J. (2007). First outbreak of pitch canker in a South African pine plantation. Australasian Plant Pathology 36: 256–261.
- Crous PW, Braun U, Groenewald JZ (2007). *Mycosphaerella* is polyphyletic. Studies in Mycology 58: 1–32.
- Crous PW, Braun U, Schubert K, Groenewald JZ (2007). Delimiting *Cladosporium* from morphologically similar genera. Studies in Mycology 58: 33–56.
- Crous PW, Mohammed C, Glen M, Verkley GJM, Groenewald JZ (2007). *Eucalyptus* microfungi known from culture. 3. *Eucasphaeria* and *Sympoventuria* genera nova, and new species of *Furcasporea*, *Harknessia*, *Heteroconium* and *Phacidiella*. Fungal Diversity 25: 19–36.
- Crous PW, Schubert K, Braun U, de Hoog GS, Hocking AD, Shin HD, Groenewald JZ (2007). Opportunistic, human-pathogenic species in the *Herpotrichiellaceae* are phenotypically similar to saprobic or phytopathogenic species in the *Venturiaceae*. Studies in Mycology 58: 185–217.
- Crous PW, Summerell BA, Carnegie AJ, Mohammed C, Himaman W, Groenewald JZ (2007). Foliicolous *Mycosphaerella* spp. and their anamorphs on *Corymbia* and *Eucalyptus*. Fungal Diversity 26: 143–185.
- Damm U, Crous PW, Fourie PH (2007). *Botryosphaeriaceae* as potential pathogens of *Prunus* in South Africa, with descriptions of *Diplodia africana* and *Lasioidiplodia plurivora* sp. nov. Mycologia 99: 664–680.
- Damm U, Fourie PH, Crous PW (2007). *Aplosporella prunicola*, a novel species of anamorphic *Botryosphaeriaceae*. Fungal Diversity 27: 35–43.
- De Vos L., Myburg A.A., Wingfield M.J., Desjardins A.E., Gordon T.R. and Wingfield B.D. (2007). Complete Genetic linkage maps from an interspecific cross between *Fusarium circinatum* and *Fusarium subglutinans* Fungal Genetics and Biology 44: 701–714.
- Du Toit, L.J., Burger, J.T., McLeod, A., Engelbrecht, M. and Viljoen, A. (2007). Iris yellow spot virus in onion seed crops in South Africa. Plant Disease 91: 1202.
- F. Halleen, L. Mostert & P.W. Crous (2007). Pathogenicity testing of lesser known vascular fungi of grapevines. Australasian Plant Pathology 36: 277-285.
- F. Halleen, P.H. Fourie & P.W. Crous (2007). Control of black foot disease in grapevine nurseries. Plant Pathology 56: 637-645.
- Feng, P. C. C., Clark, C., Andrade, G.C., Balbi, M.C. and Caldwell, P.M. (2007). The control of Asian rust by glyphosate in glyphosate-resistant soybeans. Pesticide Management Science 64: 353-359.
- Gams W, Verkley GJM, Crous PW (2007). CBS Course of Mycology, 5th ed. Centraalbureau voor Schimmelcultures, Utrecht, Netherlands. : .

- Glen M., Alfenas A. C., Zauza E. A. V., Wingfield M. J. and Mohammed C. (2007). *Puccinia psidii*: a threat to the Australian environment and economy – a review. *Australasian Plant Pathology* 36: 1–16.
- Groenewald M, Barnes I, Bradshaw RE, Brown AV, Dale A, Groenewald JZ, Lewis KJ, Wingfield BD, Wingfield MJ, Crous PW (2007). Characterization and distribution of mating type genes in the *Dothistroma* needle blight pathogens. *Phytopathology* 97: 825–834.
- Groenewald M, Groenewald JZ, Linde CC, Crous PW (2007). Development of polymorphic microsatellite and single nucleotide polymorphism markers for *Cercospora beticola* (Mycosphaerellaceae). *Molecular Ecology Notes* 7: 890–892.
- Halleen F, Fourie PH, Crous PW (2007). Control of black foot disease in grapevine nurseries. *Plant Pathology* 56: 637–645.
- Halleen F, Mostert L, Crous PW (2007). Pathogenicity testing of lesser-known vascular fungi of grapevines. *Australasian Plant Pathology* 36: 277–285.
- Halley-Stott, R. P., Tanzer, F., Martin, D. P., Rybicki, E. P. (2007). The complete nucleotide sequence of a mild strain of Bean yellow dwarf virus. *Arch. Virol.* 152: 1237-1240.
- Hane JK, Lowe RGT, Solomon PS, Tan K-C, Schoch CL, Spatafora JW, Crous PW, Kodira C, Birren BW, Galagan JE, Torriani SFF, McDonald BA, Oliver RP (2007). Dothideomycete–Plant Interactions Illuminated by Genome Sequencing and EST Analysis of the Wheat Pathogen *Stagonospora nodorum*. *The Plant Cell* 19: 3347–3368.
- Heath R.N., Roux J., Gryzenhout M., Carnegie A.J., Smith I.W. and Wingfield M.J. (2007). *Holocryphia eucalypti* on *Tibouchina urvilleana* in Australia. *Australasian Plant Pathology* 36: 560–564.
- Hibbett DS, Binder M, Bischoff JF, Blackwell M, Cannon PF, Eriksson OE, Huhndorf S, James T, Kirk PM, Lücking R, Thorsten Lumbsch H, Lutzoni F, Brandon Matheny P, McLaughlin DJ, Powell MJ, Redhead S, Schoch CL, Spatafora JW, Stalpers JA, Vilgalys R, Aime MC, Aptroot A, Bauer R, Begerow D, Benny GL, Castlebury LA, Crous PW, Dai Y-C, Gams W, Geiser DM, Griffith GW, Gueidan C, Hawksworth DL, Hestmark G, Hosaka K, Humber RA, Hyde KD, Ironside JE, Köljalg U, Kurtzman CP, Larsson K-H, Lichtwardt R, Longcore J, Mi dlikowska J, Miller A, Moncalvo J-M, Mozley-Standridge S, Oberwinkler F, Parmasto E, Reeb V, Rogers JD, Roux C, Ryvarden L, Sampaio JP, Sch¨bler A, Sugiyama J, Thorn RG, Tibell L, Untereiner WA, Walker C, Wang Z, Weir A, Weiss M, White MM, Winka K, Yao Y-J, Zhang N. (2007). A higher-level phylogenetic classification of the Fungi. *Mycological Research* 111: 509–547.
- Hunter GC, van der Merwe NA, Burgess TI, Carnegie AJ, Wingfield BD, Crous PW, Wingfield MJ (2007). Global movement and population biology of *Mycosphaerella nubilosa* infecting leaves of cold-tolerant *Eucalyptus globulus* and *E. nitens*. *Plant Pathology* 57: 235–242.
- Hurley B.P, Govender P. , Coutinho T.A. , Wingfield B.D., and Wingfield M.J. (2007). Fungus gnats and other Diptera in South African forestry nurseries and their possible association with the pitch canker fungus. *South African Journal of Science* 103: 43-46.
- Hurley B.P, Slippers B., Coutinho T.A., Wingfield B.D., Govender P. and Wingfield M.J. (2007). Molecular detection of fungi carried by *Bradysia difformis* (Sciariidae: Diptera) in South African forestry nurseries. *Southern Hemisphere Forestry Journal* 69: 103–109.
- Hurley BP, Slippers B. and Wingfield M.J. (2007). A critical review of control of the alien invasive woodwasp, *Sirex noctilio*, in the southern hemisphere, with a special emphasis on biological control. *Agricultural and Forest Entomology* 9: 159-171.
- Hyde KD, Busaban B, Paulus B, Crous PW, Lee S, McKenzie EHC, Photita W, Lumyong S (2007). Diversity of saprobic microfungi. *Biodiversity and Conservation* 16: 7–35.
- Idris, A. H., Labuschagne, N. and Korsten, L. (2007). Screening of rhizobacteria for biological control of *Fusarium oxysporum* and *Pythium ultimum* root rot in sorghum. *Proceedings of the XIV International Plant Protection Congress* 2: 482-483.
- Idris, A. H., Labuschagne, N. and Korsten, L. (2007). Screening of rhizobacteria for biological control of *Fusarium* root and crown rot of sorghum in Ethiopia. *Biological Control* 40: 97-106.
- Jacobs A., Coutinho T.A, Wingfield M.J., Ahumada R. and Wingfield B.D. (2007). Characterization of the pitch canker fungus, *Fusarium circinatum*, from Chile. *South African Journal of Science* 102: 1-5.
- Kirisits T., Konrad H., Halmschlager E., Stauffer C., Wingfield M. J. and Chhetri D. B. (2007). *Sirococcus* shoot blight on *Picea spinulosa* in Bhutan. *Forest Pathology* 37: 40–50.
- Kohl, T. O., Hitzeroth, I. I., Christensen, N. D., Rybicki, E. P., (2007). Expression of HPV-11 L1 protein in transgenic *Arabidopsis thaliana* and *Nicotiana tabacum*. *BMC Biotechnol.* 7: 56.
- Koopman, T., Linde, C.C., Fourie, P.H. & McLeod, A. (2007). Population genetic structure of *Plasmopara viticola* in the Western Cape Province of South Africa. *Molecular Plant Pathology* 8 (6): 723-736.
- Maclean, J., Koekemoer, M., Olivier, A. J., Stewart, D., Hitzeroth, I. I., Rademacher, T., Fischer, R., Williamson, A. L., Rybicki, E. P., (2007). Optimization of human papillomavirus type 16 (HPV-16) L1 expression in plants: comparison of the suitability of different HPV-16 L1 gene variants and different cell-compartment localization. *J.Gen.Virol.* 88: 1460-1469.
- Maier W., Wingfield B. D., Mennicken M. and Wingfield M. J. (2007). Polyphyly and two emerging lineages in the rust genera *Puccinia* and *Uromyces*. *Mycological Research* 111: 176–185.
- Maseko B., Burgess T.I., Coutinho T.A. and Wingfield M.J. (2007). Two new *Phytophthora* species from South African *Eucalyptus* plantations. *Mycological Research* 11: 1321-1338.
- McLeod, A. and Coertze, S. (2007). First report of *Phytophthora cryptogea* on *Osteospermum* spp. in South Africa. *Plant Disease* 91: 322.
- Mohali S., Slippers B. and Wingfield M.J. (2007). Identification of *Botryosphaeriaceae* species from *Eucalyptus*, *Acacia*

and Pinus in Venezuela. *Fungal Diversity* 25: 143-165.

- Nakabonge G., Gryzenhout M., Wingfield B.D., Wingfield M.J. and Roux J. (2007). Genetic diversity of *Chrysosporthe cubensis* in eastern and southern Africa. *South African Journal of Science* 103: 261-264.
- Nel, B., Steinberg, C., Labuschagne, N. and Viljoen, A. (2007). Evaluation of fungicides and sterilants for potential application in the management of *Fusarium* wilt of banana. *Crop Protection* 26: 697-705.
- Owor, B. E., Martin, D. P., Shepherd, D. N., Edema, R., Monjane, A. L., Rybicki, E. P., Thomson, J. A., Varsani, A., (2007). Genetic analysis of maize streak virus isolates from Uganda reveals widespread distribution of a recombinant variant. *J.Gen.Virol.* 88: 3154-3165.
- Paparu, P., Dubois, T., Coyne, D. & Viljoen, A. (2007). Defense-related gene expression in susceptible and tolerant bananas (*Musa* spp.) following inoculation with non-pathogenic *Fusarium oxysporum* endophytes and challenge with *Radopholus similis*. *Physiological and Molecular Plant Pathology* 71: 149-157.
- Pavlic D. Slippers B., Coutinho T. A. and Wingfield M. J. (2007). The *Botryosphaeriaceae* occurring on native *Syzygium cordatum* in South Africa and their potential threat to *Eucalyptus*. *Plant Pathology* 56: 624-636.
- Phillips AJL, Crous PW, Alves A (2007). *Diplodia seriata*, the anamorph of *Botryosphaeria* obtusa. *Fungal Diversity* 25: 141-155.
- Richardson D.M., Rundel P.W., Jackson S.T., Teskey R.O., Aronson J., Bytnerowicz A. J., Wingfield M.J. and Proches S. (2007). Human Impacts in Pine Forests: Past, Present and Future Annual Review of Ecology, Evolution, and Systematics 38: 275-297.
- Roets F, Wingfield MJ, Crous PW, Dreyer LL (2007). Discovery of fungus-mite mutualism in a unique niche. *Environmental Entomology* 36: 1226-1237.
- Roets F., Dreyer L.L., Wingfield M.J. and Crous P.W. (2007). *Ophiostoma* species from *Protea* infructescences: Four way interactions between plants, fungi, mites and beetles. *South African Journal of Botany* 73: 309-310.
- Roets F., Wingfield M.J., Crous P.W. and Dreyer L.L. (2007). Discovery of fungus-mite mutualism in a unique niche. *Environmental Entomology* 36: 1226-1237.
- Romon P., Zhou X., Iturrondobeitia J.C., Wingfield M.J. and Goldarazena A. (2007). *Ophiostoma* species (Ascomycetes: Ophiostomatales) associated with bark beetles (Coleoptera: Scolytinae) colonizing *Pinus radiata* in northern Spain. *Canadian Journal of Microbiology* 53: 756-767.
- Roux J., Eisenberg B., Kanzler A., Nel A., Coetzee V., Kietzka E. and Wingfield M.J. (2007). Testing of selected South African *Pinus* hybrids and families for tolerance to the pitch canker pathogen, *Fusarium circinatum*. *New Forests* 33: 109-123.
- Roux J., Heath R.N., Labuschagne L., Nkuekam G.K. and Wingfield M.J. (2007). Occurrence of the wattle wilt pathogen, *Ceratocystis albifundus* on native South African trees. *Forest Pathology* 37: 292-302.
- Schubert K, Braun U, Groenewald JZ, Crous PW (2007). *Cladosporium* leaf-blotch and stem rot of *Paeonia* spp. caused by *Dichocladosporium chlorocephalum* gen. nov. *Studies in Mycology* 58: 95-104.
- Schubert K, Groenewald JZ, Braun U, Dijksterhuis J, Starink M, Hill CF, Zalar P, de Hoog GS, Crous PW (2007). Biodiversity in the *Cladosporium herbarum* complex (Davidiellaceae, Capnodiales), with standardisation of methods for *Cladosporium* taxonomy and diagnostics. *Studies in Mycology* 58: 105-156.
- Shepherd, D. N., Mangwende, T., Martin, D. P., Bezuidenhout, M., Kloppers, F. J., Carolissen, C. H., Monjane, A. L., Rybicki, E. P., Thomson, J. A., (2007). Maize streak virus-resistant transgenic maize: a first for Africa. *Plant Biotechnol.J* 5: 759-767.
- Shepherd, D. N., Mangwende, T., Martin, D. P., Bezuidenhout, M., Thomson, J. A., Rybicki, E. P., (2007). Inhibition of maize streak virus (MSV) replication by transient and transgenic expression of MSV replication-associated protein mutants. *J.Gen.Virol* 88: 325-336.
- Slippers B, Smit W.A., Crous. P.W., Coutinho T.A., Wingfield B.D. and Wingfield M.J. (2007). Taxonomy, phylogeny and identification of *Botryosphaeriaceae* associated with pome and stone fruit trees in South Africa and other regions of the world. *Plant Pathology* 56: 128-139.
- Slippers B. and Wingfield M.J. (2007). *Botryosphaeriaceae* as endophytes and latent pathogens of woody plants: diversity, ecology and impact *Fungal Biology Reviews* 21: 90-106.
- Stergiopoulos I, Groenewald M, Staats M, Lindhout P, Crous PW, De Wit PJGM (2007). Mating-type genes and the genetic structure of a world-wide collection of the tomato pathogen *Cladosporium fulvum*. *Fungal Genetics and Biology* 44: 415-429.
- Thomma P van, Belkum A van, Summerbell R, Crous PW, Thomma BPHJ (2007). Molecular mechanisms of pathogenicity: how do pathogenic microbes develop cross-kingdom host jumps? *FEMS Microbiology Reviews* 31: 239-277.
- Tsopelas P., Barnes I., Wingfield M.J. and Xenopoulos S. (2007). *Seiridium cardinale* on *Juniperus* species in Greece. *Forest Pathology* 37: 338-347.
- Van den Berg N., Berger D.K., Hein I., Birch P.R.J., Wingfield M.J. and Viljoen A. (2007). Tolerance in banana to *Fusarium* wilt is associated with early up-regulation of cell wall-strengthening genes in the roots. *Molecular Plant Pathology* 8: 333-341.
- Van Wyk M., Al Adawi A.O., Khan I.A., Deadman M.L., Al Jahwari A.A., Wingfield B.D., Ploetz R. and Wingfield M.J. (2007). *Ceratocystis manginecans* sp. nov., causal agent of a destructive mango wilt disease in Oman and Pakistan. *Fungal Diversity* 27: 213-230.
- Van Wyk M., Pegg G., Lawson S. and M.J. (2007). *Ceratocystis atrox* sp. nov associated with *Phoracantha acanthocera* infestations on *Eucalyptus grandis* in Australia *Australasian Plant Pathology* 36: 407-414.
- Visser, D. Caldwell, P.M. and McLaren, N.W (2007). Studies on the control of *Sclerotinia sclerotiorum* on soybeans

South African Journal of Plant and Soil.

- Vreulink, J.M., Esterhuysen, A, Jacobs K and Botha A. (2007). Soil properties that impact on yeast numbers in sandy low nutrient soils. *Canadian Journal of Microbiology* 53: 1369-1374.
- Wang H-K, Aptroot A, Crous PW, Hyde KD, Jeewon R (2007). The polyphyletic nature of Pleosporales: an example from *Massariosphaeria* based on rDNA and RPB2 gene phylogenies. *Mycological Research* 111: 1268-1276.
- Ware SB, Verstappen ECP, Breeden J, Cavaletto JR, Goodwin SB, Waalwijk C, Crous PW, Kema GHJ (2007). Discovery of a functional *Mycosphaerella* teleomorph in the presumed asexual barley pathogen *Septoria passerinii*. *Fungal Genetics and Biology* 44: 389-397.
- Willment, J. A., Martin, D. P., Palmer, K. E., Schnippenkoetter, W. H., Shepherd, D. N., Rybicki, E. P., (2007). Identification of long intergenic region sequences involved in maize streak virus replication. *J.Gen.Virol.* 88: 1831-1841.
- Wood AR (2007). Rust fungi (Uredinales) on *Grewia* species (Tilliaceae) in southern Africa, with *Uredopeltis atrides* comb. nov. the new name for *Ravenelia atrides*. *Mycological Progress* 6(2): 93-99.
- Wood AR, Morris MJ (2007). Impact of the gall-forming rust fungus *Uromycladium tepperianum* on the invasive tree *Acacia saligna* in South Africa: 15 years of monitoring. *Biological Control* 41: 68-77.
- Wright L.P., Wingfield B.D., Crous P.W., and Wingfield M.J. (2007). Isolation and characterization of microsatellite loci in *Cylindrocladium pauciramosum*. *Molecular Ecology Notes* 7: 343-345.
- Zalar P, de Hoog GS, Schroers H-J, Crous PW, Groenewald JZ, Gunde-Cimerman N (2007). Phylogeny and ecology of the ubiquitous saprobe *Cladosporium sphaerospermum*, with descriptions of seven new species from hypersaline environments. *Studies in Mycology* 58: 157-183.
- Zhou X.D., Burgess T.I., De Beer Z. W., Lieutier F., Yart A., Klepzig K., Carnegie A., Portales J.M., Wingfield B.D. and Wingfield M.J. (2007). High intercontinental migration rates and population admixture in the sapstain fungus *Ophiostoma ips*. *Molecular Ecology* 16: 89-99.
- Zhou X.D., De Beer Z.W., Xie Y., Pegg G.S. and Wingfield M.J. (2007). DNA-based identification of *Quambalaria pitereka* causing severe leaf blight of *Corymbia citriodora* in China *Fungal Diversity* 25: 245-254.
- Zondo, P.T., Denman, S. & Labuschagnè, I.F. (2007). Effect of season and aggressiveness of isolates on the response of two apple rootstocks to *Phytophthora cactorum* infection. *Australasian Plant Pathology* 36: 240-244.